

Held on Deposit

SPECIFICATIONS FOR SALE OF 1991 PIERCE LANCE PUMPER/SQUIRT

VEHICLE I.D. 4P1CTO2097MA000476
YEAR: 1991
ENGINE: Type: DETROIT DIESEL 6V92TP
Miles: 22,855 AT 10/01/2015
Hours: 2,193.8 AT 10/01/2015

TRANSMISSION: Allison Model HT-740, Four Speed Automatic
JAKE BRAKE

WHEEL BASE: 16'3" (Overall Length: 31.2")
GVWR: 49,000 Lbs. [Front 18,080; Rear 31,000]
TIRES: Front: 315/80R 22.5
Rear: 315/80R 22.5

PUMP: Type Waterous Model CMYBX, 1250 GPM @ 150 psi., 2 stage
S/N S/N: 21891W
Gear Ratio Engine to Pump gear ratio is 2.27
Intakes: Two (2) 2.5" Gated Suctions; One (1) 6" Driver Side
One (1) 6" Passenger Side
One (1) 6" Front Suction equipped with 10' of 6" Hose
Discharges: Two (2) 2.5"; One (1) 1.5" Driver Side
One (1) 2.5"; One (1) 3.0" Passenger Side
Two (2) 1.5" cross lays
One (1) 2.5" cross lay

TANK: 750 gallon water tank; 10 gauge steel
100 gallon foam tank

GENERATOR: Brand: Onan
Wattage: 6KW
Fuel: Diesel

LIGHTS/SIRENS: ONE (1) Code 3XLT 54" Light Bar Red/Blue in Color
FOUR (4) Red/Blue Sealed Beam Alternating Halogen Lights Located on
Front of Vehicle
TWO (2) Whelen Strobe lights, model F on rear posts (Red)
TWO (2) Unity Spot lights

TWO (2) Collins Dynamics Spot lights @ Rear of Vehicle
TWO (2) 1000 Watt Tele-Lites Floodlights located on D/S and P/S
ONE (1) Code 3 Electronic Siren/PA Model 300
ONE (1) Federal Model Q2B Mechanical Siren @ Front Bumper

COLOR: White over Red with white scotch light stripe
on side body.

CONDITION: Good overall condition. Service records available.
Engine currently in service as first out piece from Station.

Last pump service test was performed April, 2015; PASSED

EQUIPMENT: Per List (See next page)

EQUIPMENT TO BE PROVIDED WITH APPARATUS FOR SALE

<u>QTY.</u>	<u>ITEM</u>
1	6' Pike Pole
1	8' Pike Pole
1	8' Plaster Hook
1	40" Dry Wall Hook
4	Axes (2PH) 2(FH)
?	Spanner Wrenches
?	Hydrant Wrenches
2	Scat Packs
3	Extinguishers (1 press water; 1 dry cheml 1 CO2)
1	Crow Bar
1	32" Closet Hook
4	Vulcan Hand Lights







